

Worldwide Distribution:
www.zoommanufacturing.com



Instruction Manual

Z10 v3.0 Bubblestream
Z30 v3.0 Bubblestream

Warranty

Your authorised dealer guarantees this product for a period of 1 year. This includes parts and labour.

Please complete the product registration card enclosed along with the extended chargeable warranty application.

Your warranty is void if you use this machine with any other brand of bubble fluid.

Only purchase Zoom manufacturing genuine bubble fluid. Guarantee is void if used in the wrong application.

Save these instructions and your proof of purchase.

SERIAL NUMBER	<input type="text"/>
DATE PURCHASED	<input type="text"/>

Attach a copy of invoice for warranty claims. Keep this instruction manual safe

Introduction

Thank you for choosing Zoom Manufacturing bubble machine. Prior to use, we suggest that you carefully read all of the instructions. By following the suggestions found in this user manual you can look forward to the reliable and satisfactory performance of your bubble machine machine.

Suitability of use – guarantee condition

Z10 Bubblestream may be supplied for most uses. General purpose.

Z30 Bubblestream is only suitable for fixed installations. This unit must not be supplied for any other application. It is not suitable for mobile use.



Important

Health Warning

Ensure that your dealer or distributor only supplies genuine Zoom Manufacturing bubble liquid with this product. Your warranty is immediately void if you use any other brand of bubble liquid.

Use of any other fluid in this machine may be harmful to health. In certain circumstances fog, Smoke, Snow & Bubble effects may cause temporary discomfort to certain individuals with breathing difficulties. Ensure the audience is notified of effects prior to each and every use. If you have any doubts about use of this product consult your local health and safety government office and obtain written instructions prior to use.

Use your common sense with this product



Zoom Manufacturing distributes this product worldwide to exclusive distributors only.

Website: www.zoommanufacturing.com

Warranties vary depending on country of purchase.

Legal action will be taken against any infringement of our copyright or trademarks

Product designed by Darren Cragg 2005©

V.3.0/20/12/2005

Important

Always monitor tank fluid level as you are operating. Running a Bubble machine with no fluid can permanently damage the unit. This will void your warranty. If you experience low output, motor noise or no output at all, unplug immediately. Check fluid level, the external fuse, remote connection, and power from the wall.

Important Information

Don't forget to complete and return the enclosed warranty registration form within 14 days of purchase. This will register your purchase and enable any further enquiries to be quickly dealt with. Warranties vary subject to country of purchase. Should you have any complaints about this product or the service you have received from your dealer or distributor please contact us by email to www.zoommanufacturing.com

Set Up

Before beginning initial set up of your Bubblestream, make sure that there is no evident damage caused by transportation. In the event that the units housing or cable is damaged do not plug it in or attempt to use it until after contacting your dealer for assistance

Remove all packaging materials from shipping box.
Check that all foam and plastic padding is removed.

Remove the two side screws and lift upwards and fill the tank – just enough is needed to cover the bubble wands. Lower the lid and fix the screws firmly.

A professional installation company must carry out any installation of bubble machines. Products installed above head height must be double fixed using a safety chain.

- Remove all packing materials from shipping box. Check that all foam and plastic padding is removed, especially in the nozzle area.
- Place Bubble machine on a flat surface.
- Fill with Zoom Manufacturing Bubble Liquid only. Any other types of fluid can damage the unit. When filled, place cap back on liquid tank.
- Firmly attach the remote control (where applicable) to the proper input on the rear of the machine.

Cautions

Extended use will make all surfaces very slippery.

Keep this device dry.

For inside use only.

For all voltages, use 3 prong grounded electrical outlet only.

Keep the unit upright.

Do not overfill your Bubblestream and only fill when un-plugged from the mains
This machine is not water or splash proof. If moisture or water gets inside the housing, immediately un-plug the unit and contact a service technician or your dealer before using it again.

No user serviceable parts inside. Refer to your dealer or qualified service personnel.
For Adult use only. This is not a toy.
Keep out of the reach of children.

Never leave the unit running unattended.
If your machine fails to work properly, discontinue use and refer to your point of purchase. If claiming warranty please provide your original invoice of purchase.
Pay attention to all warning labels and instructions printed on the exterior of your bubble machine.

Cautions continued...

Do not aim bubbles directly at persons. Bubble fluid may stain. Only use genuine Zoom bubble fluid.

Always connect the unit through an electrical safety trip system.

All warranties and protection from your dealer is void if you make a warranty claim if you do not purchase genuine Zoom fluids. If you make a warranty claim we may ask you to prove genuine fluid purchases, prior to any repair.

Do not transport with fluid.

If your Bubblestream fails to work correctly discontinue use immediately and return it to your dealer for service.

Never drink bubble fluid. If bubble fluid comes into contact with eyes or skin please rinse thoroughly with water and seek medical assistance.

Never mix your own bubble fluid using detergents – this will void your warranty and may be dangerous

Unpacking & Inspection

Operation

- Plug power cord into a grounded electrical outlet. If necessary, turn power switch on rear of unit to ON position.
- To emit bubbles, press the appropriate button on the remote for the desired length of time.

If your model includes a mounting bracket designed for overhead installation, it may be installed at floor level or suspended overhead. If the unit is to be mounted using the bracket, it is important that the bubbles do not shoot directly at any one's face.

Never install above persons heads. Keep away from any inflammable materials ensuring that this unit is out of reach.

Included with this product:

This user manual

Timer remote control

Power cord and plug

Extended warranty application and product registration.